Buprenorphonine in the Emergency Room

A community issue, a community partnership.

Dr. Alan Mayer, Dr. Shawna Yates, Risik Rask PharmD, Lisa Tregidga MA, and Joslin Hubbard MSW







In 2021, St. James received a grant from the Montana Primary Care Association to address opiate use and begin to initiate buprenorphine in the Emergency Room.



How did we do it?

- 1. Hire ED Navigator.
- 2. Identify need.
- 3. Develop a relationship with community partner collaboration and teamwork.
- 4. Train providers.
- 5. Work with pharmacy to eliminate barriers including access to Narcan.
- 6. Conduct stigma training for all staff.
- 7. IMPLEMENT!
- 8. Keep learning, growing and modifying!








Butte Silver Bow

55.4 deaths drug overdose per 100,000 in 2022

Injury and Overdose Indicators (mt.gov)

In 2021, Butte-Silver Bow had a population of 35k people with a median age of 40.5 and a median household income of \$50,331.





Southwest Montana Community Health Center

- Primary Medical Care including
- Pediatrics
- Dental Care
- Behavioral Health
- Retail Pharmacy Services
- Clinical Pharmacy Services
- Care Management
- Substance Use Disorder Services
- Teaching Site
- ACA Health Insurance Enrollment Assistance





Collaboration







- Patient is identified in the ER
- Works with social worker to assess readiness for treatment
- ER provider prescribes 2-4 days of Suboxone
- Narcan is given to patient
- Patient is seen at SWMTCHC within the 2-4 days



Pharmacy

- 1. Reduce barriers to get Suboxone.
- 2. Meds to Beds when necessary.
- 3. Narcan given to patients.





Stigma Training

All providers, nurses, techs and patient access staff were trained on language, biases and stigma reduction.

ADDICT JUNKIE BUM USER HUMAN

Overdose-Lifeline.org

#ChooseEmpathy



Implement, learn, modify and Keep going!





Questions??

Thank you



